

No.SDC-CA(100)/07/2016-20

Dated: 11th September, 2020

ANNEXURE – A

**TYPE AND SIZES OF VOLUNTARY CERTIFICATION MARK LICENCES
 NO.CSDC/L-170/2015(R) (MEGAFLO) ON POLYETHYLENE (P.E) PIPE FOR
 WATER SUPPLY VALID UP TO 31ST JANUARY, 2022**

S. NO.	BRAND	AS PER PS:3580-2014(R)	
		SIZES	
1	MEGAFLO	90mm	(P.E 100) SDR-17, PN-10
		110mm	
		160mm	
		1200mm	
		1600mm	
		315mm	(P.E 100) SDR-21, PN-08
		400mm	
		630mm	


ENGR. ALI BUX
 Director
 Conformity Assessment (South)



**Pakistan Standards & Quality
Control Authority**
Government of Pakistan
(Ministry of Science & Technology)
Conformity Assessment South
Tel: (92-21) 99333762
Fax: (92-21) 99261848
Website: www.psgca.com.pk

No.SDC-CA(100)/07/2016-20

Dated: 11th September, 2020

**M/s. International Industries Ltd.,
IIL Factory No.2, survey No.406,
Rehri Road, Landhi,
Karachi.**

**SUBJECT:- RENEWAL OF VOLUNTARY CERTIFICATION MARK LICENCES
NO.CSDC/L-170/2015(R) (MEGAFLO) BRAND ON POLYETHYLENE
(P.E) PIPE FOR WATER SUPPLY (SIZES AS PER ANNEXURE-A).**

With reference to your application dated 17th February, 2020, for the renewal of Voluntary Certification Mark licences, the undersigned is pleased to grant licence **NO.CSDC/L-170/2015(R) (MEGAFLO) BRAND ON POLYETHYLENE (P.E) PIPE FOR WATER SUPPLY (SIZES AS PER ANNEXURE-A)** for a period w.e.f. 1st February, 2020 to 31st January, 2022, with the advice to pay particular attention towards the quality of your product and ensure the availability and utilization of all the testing facilities strictly according to the relevant Pakistan Standard in the unit laboratory.

Hence during the validity of this licence you are required to enforce the quality control measures strictly to the satisfaction of SDC/PSQCA. You are also required to maintain its permanent test records, which may be examined by our SDC Inspector during the periodical inspections.

For the renewal of this licence, you are required to apply at least one month before its expiry date.

Approved Pakistan Standards Mark is also enclosed herewith, with the request that a suitable size of standard mark may be used for marking on the body of **Polyethylene Pipe**, which strictly conform according to Pakistan Standard No.3580-2014(R) in all respects.

Cont'd.....P/2.





PSQCA

Contd. From page - 1

:: 2 ::

With a view to assess the marking fee you are required to send one copy of the sales tax return to this office also which is being sent to taxation department. The marking fee will however, be chargeable quarterly.

During the validity of these licences, the unit shall be obliged to undertake advertising in electronic / print media / Bill board or other means of display to apply the **PS Quality Mark** in close proximity of his Trade Mark, if any, and shall make the former distinctly visible for an identification of a certified material from uncertified material, provided that each material so marked by him conforms to the relevant standard. In case of non compliance of the same the licence so granted / renewed may be cancelled / withdrawn.

Please also note that when you apply next time for the renewal of above licence on Application for licence, you are required to mention in Form CA-I-2-I of production and value accordingly.

However, we hope that you will not mis-use PS mark.

Please acknowledge the receipt of C.M licences and its annexures.

Encls: As above Licences
With its annexures


ENGR. ALI BUX
Director
Conformity Assessment (South)